



EN AW-5754 [AlMg3]

d	l+1	$\frac{d}{k}$	N°.	
3,2	6,0	1,5 - 3,5	10730032060	500
	8,0	3,0 - 5,5	10730032080	500
	10,0	5,0 - 7,5	10730032100	500
	12,0	7,0 - 9,0	10730032120	500
	16,0	9,0 - 13,0	10730032160	500

dk 9,5_{-0,3} **dm 1,9** **k 1,2**_{+0,5} 3,3 mm 580 N 1000 N

4,0	6,0	1,0 - 3,5	10750040060	500
	8,0	3,0 - 5,5	10750040080	500
	10,0	5,0 - 7,0	10750040100	500
	12,0	6,5 - 9,0	10750040120	500
	16,0	8,5 - 12,5	10750040160	500
	18,0	12,0 - 14,5	10750040180	500
	20,0	14,0 - 16,0	10750040200	500

dk 12,0_{-0,3} **dm 2,2** **k 1,5**_{+0,5} 4,1 mm 1250 N 2000 N

4,8	8,0	2,0 - 5,0	10770048080	500
	10,0	4,0 - 6,5	10770048100	500
	12,0	6,0 - 8,0	10770048120	500
	16,0	7,5 - 12,0	10770048160	500
	18,0	11,5 - 13,5	10770048180	500
	20,0	12,0 - 15,5	10770048200	250
	25,0	15,0 - 20,5	10770048250	250
	30,0	20,0 - 25,0	10770048300	250

dk 16,0_{-0,3} **dm 2,7** **k 1,8**_{+0,5} 4,9 mm 1640 N 2600 N

d	l+1	$\frac{d}{k}$	N°.	
5,0	8,0	2,0 - 5,0	10740050080	500
	10,0	4,0 - 6,5	10740050100	500
	12,0	6,0 - 8,0	10740050120	500
	14,0	7,5 - 10,0	10740050140	500
	16,0	8,0 - 12,0	10740050160	500
	20,0	12,0 - 15,5	10740050200	500
	25,0	15,0 - 20,5	10740050250	500
	30,0	20,0 - 25,0	10740050300	500

dk 11,0_{-0,3} **dm 2,7** **k 1,5**_{±0,5} 5,1 mm 1820 N 2800 N

5,0	8,0	2,5 - 5,0	10760050080	500
	10,0	4,0 - 6,5	10760050100	500
	12,0	6,0 - 8,0	10760050120	500
	14,0	7,5 - 10,0	10760050140	500
	16,0	8,0 - 12,0	10760050160	500
	18,0	11,5 - 13,5	10760050180	500
	20,0	12,0 - 15,5	10760050200	500
	25,0	15,0 - 20,5	10760050250	250
	30,0	20,0 - 25,0	10760050300	250

dk 14,0_{-0,3} **dm 2,7** **k 1,5**_{±0,5} 5,1 mm 1820 N 2800 N

5,0	10,0	4,0 - 6,5	10770050100	500
	16,0	8,0 - 12,0	10770050160	500
	20,0	12,0 - 15,5	10770050200	250
	25,0	15,0 - 20,5	10770050250	250
	33,0	20,0 - 28,0	10770050330	250

dk 16,0_{-0,3} **dm 2,7** **k 1,8**_{+0,5} 5,1 mm 1820 N 2800 N

6,0	10,0	3,0 - 5,5	10770060100	250
	16,0	7,0 - 11,0	10770060160	250
	20,0	11,0 - 15,0	10770060200	250

dk 16,0_{-0,3} **dm 3,2** **k 1,8**_{+0,5} 6,1 mm 2660 N 3500 N