

AXOR ShowerSolutions

Module douchette à main 120 / 120

Surfaces: **rouge doré brossé** Numéro d'article: **10651310**



Caractéristiques

- comprenant : robinet d'arrêt, module douchette, douchette tube, flexible de douche
- écrou: pour flexible de douche avec écrou conique ou cylindrique des deux côtés
- type de raccordement: M 1/2"
- avec clapet anti-retour
- matériau: métallique
- débit maximal sous 3 bars de pression: 17 l/min
- ACS 18 ACC NY 364, valide jusqu'au 08.10.2023

Détails de l'article

EAN

4011097862170


Certificats



Photo du produit



Plan géométral




AXOR ShowerSolutions

Module douchette à main 120 / 120

Surfaces: **rouge doré brossé** Numéro d'article: **10651310**



Schéma d'écoulement



Les valeurs de consommation ont été mesurées dans la pratique, avec les robinetteries correspondantes (thermostat/mélangeur/vanne sous crépi)

Surfaces: **rouge doré brossé** Numéro d'article: **10651310**

The graph plots flow rate Q in l/sec (top x-axis, 0 to 0.7) against pressure P in MPa (left y-axis, 0.00 to 0.50) and bar (right y-axis, 0 to 5). Four curves are shown, labeled 1, 2, 3, and 4. Curve 1 is a black line with points at approximately (0.28, 0.35), (0.25, 0.18), and (0.22, 0.19). Curve 2 is a magenta line with points at approximately (0.22, 0.38) and (0.18, 0.16). Curve 3 is a black line with points at approximately (0.12, 0.32) and (0.08, 0.06). Curve 4 is a red line with points at approximately (0.25, 0.22) and (0.22, 0.19). A bottom x-axis shows pressure in MPa from 0 to 45.

