


**A.N.C.I. Servizi S.r.l.**

Sede legale e amministrativa  
20149 MILANO  
Via Monte Rosa, 21  
Tel. 02.438291  
Fax 02.48005833  
E-mail: [progettispeciali@anci-calzature.com](mailto:progettispeciali@anci-calzature.com)  
Cap. Soc.: € 10.400 i.v.  
C.F./P.I.: 07199040150  
Reg. Imprese n° 229059  
Trib. di Milano  
R.E.A. n° 1147818



**CIMAC** Centro Italiano  
Materiali di Applicazione  
Calzaturiera

Sede operativa  
C.so G. Brodolini, 19 - 27029 VIGEVANO (PV) - Tel. 0381.84722 - Fax 0381.73393  
E-mail: [ce@cimacpv.it](mailto:ce@cimacpv.it) - Internet: <http://www.cimacpv.it>

According to the EEC instructions 89/686 dated 21<sup>st</sup> of December 1989, concerning the standardisation of legislation of all member countries with regard to individual protection systems and the relative legislative decree dated 4<sup>th</sup> of December 1992, N° 475,

**A.N.C.I. servizi s.r.l. - C.I.M.A.C. section**  
**CENTRO ITALIANO MATERIALI DI APPLICAZIONE CALZATURIERA**  
**Authorized with the decree issued by the Ministry of Industry of the Italian Republic**  
**on the 11<sup>th</sup> of October 2000 - Community Identification N° 0465**

grants:

**EC TYPE-EXAMINATION CERTIFICATE**  
**N° 0161/15208/09**

for the following model of personal protective equipment:

**Clog - art. "(3) 9600 / (3) 9610 / (3) 9620 / (3) 9630"**

Manufacturer (see notes):

**ABEBA**  
**SPEZIALSCHUHAUSSTATTER GMBH**  
**SCHLACKENBERGSTRASSE, 5**  
**66386 ST. INGBERT**  
**DEUTSCHLAND**

Vigevano, 30<sup>th</sup> March 2009

Technical Manager of the Centre  
Ing. Giuseppe Bellotti





## 1. Description of personal protective equipment:

PPE Category: second category

Type of PPE: occupational footwear for professional use

Design: Clog


Classification: II - All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

Size range: from 35÷36 to 45÷46 (French size)

Identification of last: BOXER 20 N

Manufacturing process: Injection

The footwear has not a removable insock





**2. The tests and the examinations to verify the conformity of the article (in compliance with art. 10 of Directive 89/686/CEE) are performed applying the following harmonized standards and the Directive 91/338/CEE of 18<sup>th</sup> June 1991, 2004/21/CE of 25<sup>th</sup> February 2004 and 94/27/CE of 30<sup>th</sup> June 1994:**

- EN ISO 20344:2004+A1:2007 – Personal protective equipment – Test methods for footwear.
- EN ISO 20347:2004+A1:2007 – Personal protective equipment – Occupational footwear.
- prEN 13832-1:2004 - Footwear protecting against chemicals and micro-organisms - Part 1: Terminology and test methods.

**3. The results of tests and examinations are contained in the following test reports:**

C.I.M.A.C.	RP 20091495	dated 30 <sup>th</sup>	March	2009
C.I.M.A.C.	RP 20091496	dated 30 <sup>th</sup>	March	2009
C.I.M.A.C.	RP 20091497	dated 30 <sup>th</sup>	March	2009

#### **4. Requirements of the personal protective equipment:**

The clog art. "(3) 9600 / (3) 9610 / (3) 9620 / (3) 9630" complies with:

the basic applicable requirements for occupational footwear specified in table 2 of EN ISO 20347:2004+A1:2007 standard;

the additional requirements for special applications specified in table 14 of EN ISO 20347:2004+A1:2007 standard:

- antistatic properties (A);
- energy absorption of seat region (E);
- non-cleated outsole.

The shoe complies with what prescribed by EN ISO 20347:2004/A1:2007 standard concerning the slip-resistance of the outsole, "SRA" requirement.

The shoe complies with what prescribed by prEN 13832-1:2004 prestandard concerning the sterilization resistance of the footwear (autoclave – 134 °C – 70 minutes).



## 5. Marking of the personal protective equipment:

The following information is provided on the footwear outsole:

- the "CE" mark
- date of manufacture (quarter and year)
- manufacturer's type designation: (3) 9600 / (3) 9610 / (3) 9620 / (3) 9630
- manufacturer's identification mark: "ABEBA"
- size.

## 6. Notes:

- The manufacturer is the one assuming the responsibility of design and fabrication of a product included in the Directive, in order to throw it in the market.
- The marking for the number and year of the reference European standard and the symbols appropriate to the protection provided should be adjacent to one another.
- This EC Type-Examination Certificate must be kept by the manufacturer, in order to produce it, on request, for the control body or safety control administration.
- The content of this EC Type-Examination Certificate is referred to the tested personal protective equipment only.
- This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY".
- The manufacturer should inform ANCI Servizi srl – Sezione CIMAC for any modification to the product, to the place/process of manufacturing and, if relevant (III category PPE), to the quality system if this compromises the conformity of the product to the essential requirements or other provisions of the Directive 89/686/EEC.
- The manufacturer should report all the complaints relating to the conformity of the certified product to the requirements of the reference harmonized standards and supply these reports on request of ANCI Servizi srl – Sezione CIMAC.
- The manufacturer should implement appropriate corrective actions when nonconforming product to the essential requirements of the EC certification are identified.