according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2017
1.9	17.10.2017	802375-00010	Date of first issue: 20.11.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier					
Trade name	:	SYLGARD™ 184 Silicone Elastomer Base			
Product code	:	01023993			

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: Corrosion inhibitors, Electrical industry and electronics
stance/Mixture	

#### 1.3 Details of the supplier of the safety data sheet

STATION ROAD, BIRCH VALE, HIGH PEAK DERBYSHIRE England SK22 1BR UNITED KINGDOM	<
--	---

Telephone	: +44 (0) 203 139 4000
E-mail address of person responsible for the SDS	: SDSQuestion@dow.com

#### **1.4 Emergency telephone number**

24-Hour Emergency Contact	:	0031 115 694 982
Local Emergency Contact	:	00 31 115 69 4982

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.

#### 2.3 Other hazards

None known.

according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2017
1.9	17.10.2017	802375-00010	Date of first issue: 20.11.2014

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Silicone

#### Hazardous components

Remarks : No hazardous ingredients

### **SECTION 4: First aid measures**

4.1 Description of first aid meas	ures			
General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>			
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.			
If inhaled	: If inhaled, remove to fresh air. Get medical attention.			
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> <li>Remove contaminated clothing and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>			
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.			
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.			
4.2 Most important symptoms and effects, both acute and delayed None known.				
4.3 Indication of any immediate	medical attention and special treatment needed			
Treatment	: Treat symptomatically and supportively.			

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Vers 1.9	ion	Revision Date: 17.10.2017		9S Number: 2375-00010	Date of last issue: 18.03.2017 Date of first issue: 20.11.2014
				Alcohol-resistant f Carbon dioxide (C Dry chemical	
Unsuitable extinguishing media		able extinguishing	:	None known.	
5.2 \$	Special	hazards arising from	the	substance or mix	xture
Specific hazards during fire- fighting		:	Exposure to combustion products may be a hazard to health.		
Hazardous combustion prod- : Carbon oxides ucts Silicon oxides Formaldehyde		Silicon oxides			
5.3 A	Advice	for firefighters			
	Special for firef	protective equipment ighters	:		e, wear self-contained breathing apparatus. rective equipment.
	Specific thods	c extinguishing me-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Follow safe handling advice and personal protective equip- ment recommendations.
6.2 Environmental precautions	

# Environmental precautions Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up		Soak up with inert absorbent material.
		For large spills, provide dyking or other appropriate contain-
		ment to keep material from spreading. If dyked material can
		be pumped, store recovered material in appropriate container.
		Clean up remaining materials from spill with suitable absor-
		bent.

according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2017
1.9	17.10.2017	802375-00010	Date of first issue: 20.11.2014
		posal of this ma employed in the mine which reg Sections 13 and	al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.

## 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Avoid inhalation of vapour or mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents
7.3 Specific end use(s)		
Specific use(s)	:	These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may re- quire added precautions. For further information regarding the use of silicones / organic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of mate- rials in consumer aerosol applications that has been devel- oped by the silicone industry (www.SEHSC.com) or contact the Dow Chemical customer service group.

according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2017
1.9	17.10.2017	802375-00010	Date of first issue: 20.11.2014

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Engineering measures**

Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection	:	Wear the following personal protective equipment: Safety glasses
Hand protection Material		Chamical resistant aloves
Material	•	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	slight
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available

according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Vers 1.9	sion	Revision Date: 17.10.2017		S Number: 375-00010	Date of last issue: 18.03.2017 Date of first issue: 20.11.2014
	Initial be range	oiling point and boiling	:	> 100 °C	
	Flash p	oint	:	121.1 °C Method: Pensky-	Martens closed cup
	Evapora	ation rate	:	No data available	)
	Flamma	ability (solid, gas)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	3
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	)
	Relative	e vapour density	:	No data available	)
	Relative	e density	:	1.11	
	Solubili Wat	ty(ies) er solubility	:	No data available	9
	Partition octanol	n coefficient: n- /water	:	No data available	
	Auto-ig	nition temperature	:	No data available	)
	Decom	position temperature	:	No data available	)
	Viscosit Visc	ty osity, kinematic	:	5000 cSt (25 °C)	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
9.2	Other in	formation			
	Flamma	ability (liquids)	:	Not applicable	
	Molecu	lar weight	:	No data available	)
	Particle	size	:	Not applicable	
	Self-ign	ition	:		mixture is not classified as pyrophoric. The ture is not classified as self heating.

according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2017
1.9	17.10.2017	802375-00010	Date of first issue: 20.11.2014

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### **10.2 Chemical stability**

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions

 Use at elevated temperatures may form highly hazardous compounds.
 Can react with strong oxidizing agents.
 Hazardous decomposition products will be formed at elevated temperatures.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

#### 10.6 Hazardous decomposition products

Thermal decomposition : Formaldehyde

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Version 1.9	Revision Date: 17.10.2017	SDS Number: 802375-00010	Date of last issue: 18.03.2017 Date of first issue: 20.11.2014		
	<b>m cell mutagenicity</b> classified based on av	vailable information.			
	<b>cinogenicity</b> classified based on av	vailable information.			
-	roductive toxicity classified based on av	vailable information.			
	<b>DT - single exposure</b> classified based on av	vailable information.			
	<b>OT - repeated exposu</b> classified based on av				
-	<b>iration toxicity</b> classified based on av	vailable information.			
SECTIO	N 12: Ecological ir	nformation			
12.1 Tox	kicity				
No	data available				
	12.2 Persistence and degradability No data available				
	12.3 Bioaccumulative potential No data available				
<b>12.4 Mobility in soil</b> No data available					
12.5 Results of PBT and vPvB assessment Not relevant					
INUL					

#### 13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

according to Regulation (EC) No. 1907/2006



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2017
1.9	17.10.2017	802375-00010	Date of first issue: 20.11.2014

### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that dep- lete the ozone layer	:	Not applicable
Regulation (EC) No 850/2004 on persistent organic pol- lutants	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:		
NZIoC	:	All ingredients listed or exempt.
REACH	:	For purchases from Dow Chemical EU legal entities, all ingre-



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Versior 1.9	n	Revision Date: 17.10.2017		DS Number: 2375-00010	Date of last issue: 18.03.2017 Date of first issue: 20.11.2014
				Please refer to se chases from non-	ly pre/registered or exempt under REACH. ction 1 for recommended uses. For pur- EU Dow Chemical legal entities with the t into EEA please contact your DC repre- ice.
TS	SCA		:		tances in this product are either listed on the or are in compliance with a TSCA Inventory
Pl	ICCS		:	All ingredients list	ed or exempt.
KE	ECI		:	All ingredients list	ed, exempt or notified.
E١	NCS/I	SHL	:	All components a inventory listing.	re listed on ENCS/ISHL or exempted from
IE	CSC		:	All ingredients list	ed or exempt.
Al	ICS		:	All ingredients list	ed or exempt.
DS	SL		:	1999 and NSNR a	tances in this product comply with the CEPA and are on or exempt from listing on the Ca- Substances List (DSL).
тс	CSI		:	All ingredients list	ed or exempt.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration



# SYLGARD<sup>™</sup> 184 Silicone Elastomer Base

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2017
1.9	17.10.2017	802375-00010	Date of first issue: 20.11.2014

to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN