


A 30 30





122


GOMITO 45° MF

- ELBOW 90° M/F
- WINKEL 90° I/A
- COUDE MF 90°
- CODO 90 MH

MATERIAL: AISI 316 / 1.4401 / 1.4408
THREAD: EN 10226-1 (ex ISO 7/1)
RATING: 150 PSI – PN10

CODE	DN	DN inch	A mm	L mm	L1 mm			€
122108316	6	1/8"	17	16	21	24	10	2,45
122104316	8	1/4"	21	17	23	42	10	3,50
122308316	10	3/8"	25	19	27	63	10	4,87
122102316	15	1/2"	29	21	31	87	10	6,53
122304316	20	3/4"	35	25	36	135	10	9,14
122100316	25	1"	43	29	42	230	10	16,30
122114316	32	1 1/4"	52	34	49	360	5	23,34
122112316	40	1 1/2"	58	37	51	422	5	27,39
122200316	50	2"	71	42	59	710	5	42,12
122212316	65	2 1/2"	88	49	71	1210	4	81,70
122300316	80	3"	101	54	79	1670	2	111,14
122400316	100	4"	129	65	96	2860	1	183,44

A 30 30






131

TEE NORMALE

- TEE
- T-STÜCK
- TEE
- TE IGUAL

MATERIAL: AISI 316 / 1.4401 / 1.4408
THREAD: EN 10226-1 (ex ISO 7/1)
RATING: 150 PSI – PN10

CODE	DN	DN inch	A mm	L mm				€
131108316	6	1/8"	17	19	56	10	300	4,55
131104316	8	1/4"	21,3	21	82	10	200	4,55
131308316	10	3/8"	23,5	23,6	105	10	150	5,21
131102316	15	1/2"	30	28	156	10	70	5,60
131304316	20	3/4"	35	33	229	10	40	7,32
131100316	25	1"	43	38	369	10	50	11,19
131114316	32	1 1/4"	52	45	558	5	30	18,40
131112316	40	1 1/2"	58,5	50	702	5	20	23,16
131200316	50	2"	71,5	58	1082	5	15	36,16
131212316	65	2 1/2"	87	70	1517	2	8	81,97
131300316	80	3"	100	78,5	1856	2	4	117,61
131400316	100	4"	125	97	3170	1	2	179,37