



530/N

MAMELON NOIR

RACCORDS EN ACIER FILETÉS


MATIĂRE: P235TR1 - S235 (R.ST.37.0)


CODE	DN	DN (inch)	DN (mm)	L (mm)	B (mm)	S (mm)	
530308040	10	3/8	17	40	11	2	35
530102040	15	1/2	21,2	40	14	2,3	50
530304040	20	3/4	26,9	40	16	2,3	63
530100040	25	1	33,7	40	18	2,9	91
530114040	32	1 1/4	42,4	40	20	2,9	128
530112040	40	1 1/2	48,3	40	22	2,9	147
530308050	10	3/8	17	50	11	2	47
530102050	15	1/2	21,2	50	14	2,3	61
530304050	20	3/4	26,9	50	16	2,3	73
530100050	25	1	33,7	50	18	2,9	112
530114050	32	1 1/4	42,4	50	20	2,9	146
530112050	40	1 1/2	48,3	50	22	2,9	162
530308060	10	3/8	17	60	11	2	55
530102060	15	1/2	21,2	60	14	2,3	72
530304060	20	3/4	26,9	60	16	2,3	92
530100060	25	1	33,7	60	18	2,9	132
530114060	32	1 1/4	42,4	60	20	2,9	185
530112060	40	1 1/2	48,3	60	22	2,9	212
530200060	50	2	60,3	60	24	3,2	296
530102070	15	1/2"	21,2	70	14	3	82
530304070	20	3/4"	26,9	70	16	2,3	106
530100070	25	1	33,7	70	18	2,9	152
530308080	10	3/8	17	80	11	2	72
530102080	15	1/2	21,2	80	14	2,3	93
530304080	20	3/4	26,9	80	16	2,3	120
530100080	25	1	33,7	80	18	2,9	172
530114080	32	1 1/4	42,4	80	20	2,9	241
530112080	40	1 1/2	48,3	80	22	2,9	277
530200080	50	2	60,3	80	24	3,2	388
530212080	65	2 1/2	76,1	80	25	3,6	553
530300080	80	3	88,9	80	30	3,6	650
530400080	100	4	114,3	80	35	4,2	1028
530308100	10	3/8	17	100	11	2	89
530102100	15	1/2	21,2	100	14	2,3	116
530304100	20	3/4	26,9	100	16	2,3	148
530100100	25	1	33,7	100	18	2,9	213
530114100	32	1 1/4	42,4	100	20	2,9	298
530112100	40	1 1/2	48,3	100	22	2,9	342
530200100	50	2	60,3	100	24	3,2	479

**530/N****MAMELON NOIR**

RACCORDS EN ACIER FILETÉS

MATERIALE: P235TR1 - S235 (R.ST.37.0)

CODE	DN	DN (inch)	DN (mm)	L (mm)	B (mm)	S (mm)	
530212100	65	2 1/2	76,1	100	25	3,6	684
530300100	80	3	88,9	100	30	3,6	803
530400100	100	4	114,3	100	35	4,2	1271
530308120	10	3/8	17	120	11	2	106
530102120	15	1/2	21,2	120	14	2,3	138
530304120	20	3/4	26,9	120	16	2,3	176
530100120	25	1	33,7	120	18	2,9	254
530114120	32	1 1/4	42,4	120	20	2,9	355
530112120	40	1 1/2	48,3	120	22	2,9	408
530200120	50	2	60,3	120	24	3,2	570
530212120	65	2 1/2	76,1	120	25	3,6	814
530300120	80	3	88,9	120	30	3,6	918
530400120	100	4	114,3	120	35	4,2	1513
530102140	15	1/2	21,2	140	14	2,3	160
530304140	20	3/4	26,9	140	16	2,3	204
530100140	25	1	33,7	140	18	2,9	294
530308150	10	3/8	17	150	11	2	132
530102150	15	1/2	21,2	150	14	2,3	171
530304150	20	3/4	26,9	150	16	2,3	219
530100150	25	1	33,7	150	18	2,9	315
530114150	32	1 1/4	42,4	150	20	2,9	440
530112150	40	1 1/2	48,3	150	22	2,9	505
530200150	50	2	60,3	150	24	3,2	707
530212150	65	2 1/2	76,1	150	25	3,6	1009
530300150	80	3	88,9	150	30	3,6	1186
530400150	100	4	114,3	150	35	4,2	1876
530102160	15	1/2	21,2	160	14	2,3	182
530304160	20	3/4	26,9	160	16	2,3	233
530100160	25	1	33,7	160	18	2,9	335
530102180	15	1/2	21,2	180	14	2,3	203
530304180	20	3/4	26,9	180	16	2,3	261
530100180	25	1	33,7	180	18	2,9	376
530308200	10	3/8	17	200	11	2	174
530102200	15	1/2	21,2	200	14	2,3	225
530304200	20	3/4	26,9	200	16	2,3	289
530100200	25	1	33,7	200	18	2,9	416
530114200	32	1 1/4	42,4	200	20	2,9	582
530112200	40	1 1/2	48,3	200	22	2,9	668
530200200	50	2	60,3	200	24	3,2	935

**530/N****MAMELON NOIR**

RACCORDS EN ACIER FILETÉS

MATIÈRE: P235TR1 - S235 (R.ST.37.0)

CODE	DN	DN (inch)	DN (mm)	L (mm)	B (mm)	S (mm)	
530212200	65	2 1/2	76,1	200	25	3,6	1180
530300200	80	3	88,9	200	30	3,6	1568
530400200	100	4	114,3	200	35	4,2	2481
530308250	10	3/8	17	250	11	2	217
530102250	15	1/2	21,2	250	14	2,3	281
530304250	20	3/4	26,9	250	16	2,3	360
530100250	25	1	33,7	250	18	2,9	518
530114250	32	1 1/4	42,4	250	20	2,9	724
530112250	40	1 1/2	48,3	250	22	2,9	831
530200250	50	2	60,3	250	24	3,2	1163
530212250	65	2 1/2	76,1	250	25	3,6	1660
530300250	80	3	88,9	250	30	3,6	1951
530400250	100	4	114,3	250	35	4,2	3086
530308300	10	3/8	17	300	11	2	259
530102300	15	1/2	21,2	300	14	2,3	336
530304300	20	3/4	26,9	300	16	2,3	430
530100300	25	1	33,7	300	18	2,9	619
530114300	32	1 1/4	42,4	300	20	2,9	866
530112300	40	1 1/2	48,3	300	22	2,9	994
530200300	50	2	60,3	300	24	3,2	1391
530212300	65	2 1/2	76,1	300	25	3,6	1953
530300300	80	3	88,9	300	30	3,6	2666
530400300	100	4	114,3	300	35	4,2	3691
530102400	15	1/2	21,2	400	14	2,3	450
530304400	20	3/4	26,9	400	16	2,3	590
530100400	25	1	33,7	400	18	2,9	826
530102500	15	1/2	21,2	500	14	2,3	555
530304500	20	3/4	26,9	500	16	2,3	740
530100500	25	1	33,7	500	18	2,9	1033