


Numéro de pièce UCP206, UCP 200 Palier à semelle - Serrage par vis pointeau - code article 3447133



[Spécifications](#) | [Dimensions](#) | [Cotes de charge de base](#)

Spécifications

| | |
|---------------------|--------------------------------------|
| Numéro du roulement | UC206 |
| Diamètre arbre d | 30 mm |
| Code UPC | 087796071964 |
| Fixation | Serrage par vis pointeau |
| Type de logement | Palier à semelle 2 trous de fixation |


Dimensions

| | |
|-----------------------------------|---------|
| Hauteur d'axe H | 42.9 mm |
| Longueur totale L | 165 mm |
| Hauteur totale A | 48 mm |
| Entraxe des trous de fixation J | 121 mm |
| Diamètre des trous de fixation N | 17 mm |
| Longueur des trous de fixation N1 | 21 mm |
| Hauteur de pied H1 | 17 mm |

| | |
|--------------------|---------|
| Total H2 | 84 mm |
| L1 | 48 mm |
| Epaisseur totale B | 38.1 mm |
| S | 15.9 mm |

Cotes de charge de base

| | |
|--------------------------|---------|
| Charge statique de base | 11300 N |
| Charge dynamique de base | 19500 N |



| | | | | |
|--|-------------------------|----------|----------------|--|
| | Bearing Number | UC206 | TIMKEN® | UCP206 |
| | Load Ratings - C_r | 4385 lbf | 19500 N | UCP 200 Pillow Block Mounted Bearings - |
| | Load Ratings - C_{0r} | 2540 lbf | 11300 N | Set Screw Locking |
| | Weight | 2.9 lb | 1.3 kg | THE TIMKEN COMPANY NORTH CANTON, OHIO USA |
| | Bolt Size | M14 | | FOR DISCUSSION ONLY |

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.