


Numéro de pièce UCP209, UCP 200 Palier à semelle - Serrage par vis pointeau - code article 3447136



[Spécifications](#) | [Dimensions](#) | [Cotes de charge de base](#)

Spécifications

Numéro du roulement	UC209
Diamètre arbre d	45 mm
Code UPC	087796072190
Fixation	Serrage par vis pointeau
Type de logement	Palier à semelle 2 trous de fixation


Dimensions

Hauteur d'axe H	54 mm
Longueur totale L	190 mm
Hauteur totale A	54 mm
Entraxe des trous de fixation J	146 mm
Diamètre des trous de fixation N	17 mm
Longueur des trous de fixation N1	21 mm
Hauteur de pied H1	20 mm

Total H2	106 mm
L1	55 mm
Epaisseur totale B	49.2 mm
S	19 mm

Évaluations de charge de base

Charge statique de base	21300 N
Charge dynamique de base	34100 N



	Bearing Number UC209		TIMKEN®	UCP209 UCP 200 Pillow Block Mounted Bearings - Set Screw Locking
Load Ratings - C_r	7666	lbf 34100	N	
Load Ratings - C_{0r}	4788	lbf 21300	N	
Weight	4.9	lb 2.2	kg	THE TIMKEN COMPANY NORTH CANTON, OHIO USA
Bolt Size	M14			

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY