



PRODUCT NUMBER: NF11HD

## Cold Grip - NF11HD

Handling in cold conditions of damp, oily or greasy parts. Ideally suited to tasks where workers need protection from the cold, but don't want to give up comfort and dexterity.

**Honeywell**

+ [View More](#)

Overview

**Reference Number**

NF11HD

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Cold Protection

**Brand**

Honeywell

**Brand formerly known as**

NORTH

**Industry**

- Building and Construction
- General Industry
- Green Spaces
- Logistics
- Maintenance
- Offshore

**Product Use**

## Cold Grip - NF11HD

Handling in cold conditions of damp, oily or greasy parts. Ideally suited to tasks where workers need protection from the cold, but don't want to give up comfort and dexterity.

### Features & Benefits

#### Feature

Blue polyamide knitted glove 3/4 Black foam PVC HPT (hydropellent technology) coating  
Seamless brushed synthetic liner Elastic knitted wrist

#### Benefit

**COMFORT** The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort. Encapsulated air molecules provide a vibration absorption feature Coating won't stiffen when cold, so glove retains its flexibility **RESISTANCE** The Polyamide yarn reduces linting for the most sensitive applications and can be easily laundered for extended use. The foam PVC HPT is a soft, durable and flexible coating that repels liquids to provide a firm wet or dry grip. You need less pressure to handle an oily piece. It also provides an excellent abrasion resistance equal to heavier gloves. The 7 gauge brushed synthetic liner ensures superior insulation from the cold down to -20°C. **HYGIENE** The dark colors make the glove less dirty.

### Technical Description

#### Description

Blue polyamide knitted glove 3/4 Black foam PVC HPT (hydropellent technology) coating  
Seamless brushed synthetic liner Elastic knitted wrist

#### Product Technology

Knitted dipped

#### Gauge

15 outer glove 7 inner glove

#### Glove/liner color

Blue / black

#### Coating Type

PVC HPT

#### Length

25 cm

#### Harmlessness

In conformity with the European standards.

#### Dexterity

Class 5

#### Sizes

9L, 10XL, 11XXL

## EN 388 - Mechanical Hazards Abrasion

## Resistance

Abrasion resistance	2
Cutting resistance	2
Tear resistance	3
Puncture resistance	1

## EN 511- Protection in cold temperatures:

Resistance to conductive cold	X
Resistance to contact cold	2
Water permeability	X

## Packaging Label

### Tagging

CE Honeywell NF11HD XX EN 420 EN 388 : 2231 EN 511 : X2X

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### EC Certificate Number

0075/797/162/08/13/0766

#### EC Attestation

 EC Attestation

#### EC Attestation Number

0075/797/162/08/13/0766

#### Certifications

- EN 0075/797/162/08/13/0766

We're sorry, there are no images available at this time.

**User Manual**

UI 105

Additional Information

**Storage Information**

Minimum packaging : 12 pairs. Cartons of 72 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products.

Maintenance